


CLEAN VERSION OF AMENDED CLAIMS

Claims 1 and 5 should read as follows:

1. (twice amended) A cosmetic composition comprising at least one water-soluble or water-dispersible polymer which comprises, in copolymerized form,

- a) from 45 to 85% by weight of at least one α,β -ethylenically unsaturated monomer of the formula I




in which

R^1 is hydrogen or $\text{C}_1\text{-C}_8$ -alkyl, and

X^1 is O or NR^2 , where R^2 is hydrogen, $\text{C}_1\text{-C}_8$ -alkyl or $\text{C}_5\text{-C}_8$ -cycloalkyl,

- b) from 10 to 30% by weight of at least one α,β -ethylenically unsaturated mono- and/or dicarboxylic acid,
- c) from 1 to 20% by weight of at least one compound having at least one α,β -ethylenically unsaturated double bond and at least 5 alkylene oxide units per molecule, chosen from polyether acrylates of the formula II



in which the order of the alkylene oxide units is arbitrary,

k and l independently of one another are an integer from 0 to 50, the sum


$k + l$ being at least 5,

R^3 is hydrogen or C_1 - C_8 -alkyl, and

R^4 is hydrogen or C_1 - C_6 -alkyl,

X^2 is O or NR^2 , where R^2 is hydrogen, C_1 - C_8 -alkyl or C_5 - C_8 -cycloalkyl,

- d) from 1 to 30% by weight of at least one compound having at least one α,β -ethylenically unsaturated double bond and at least one straight-chain or branched C_8 - C_{30} -alkyl or -alkylene radical per molecule, chosen from compounds of the formula III



in which

R^5 is hydrogen or C_1 - C_8 -alkyl,


R^6 is a straight-chain or branched C_8 - C_{30} -alkyl radical, and

Y is O or NR^7 , where R^7 is hydrogen, C_1 - C_8 -alkyl or C_5 - C_8 -cycloalkyl,

where the components c) and/or d) can be partially or completely replaced by a component e), where

- e) is at least one compound having at least one α,β -ethylenically unsaturated double bond, at least 5 alkylene oxide units and at least one straight-chain or branched C_8 - C_{30} -alkyl or -alkylene radical per molecule, where component e) is chosen from

- e1) polyether acrylates of the formula II



in which the order of the alkylene oxide units is arbitrary,

k and l independently of one another are an integer from 0 to 50, the sum

k + l being at least 5,

R³ is hydrogen or C₁-C₈-alkyl, and

R⁴ is C₈-C₃₀-alkyl,

X² is O or NR², where R² is hydrogen, C₁-C₈-alkyl or C₅-C₈-cycloalkyl,


- e2) urethane (meth)acrylates containing alkylene oxide groups and mixtures thereof

or the salts thereof.

5. (thrice amended) A composition as claimed in claim 1, where component e2) comprises, in incorporated form, the following compounds: f, g and h; or f, h, i and m; or g and l; or i, l and m; or f, i, l and m; or f, h, k and m and optionally other compounds, where

f) is at least one diisocyanate,

g) is at least one compound of the formula IV



in which the order of the alkylene oxide units is arbitrary,

R⁸ is a straight-chain or branched C₈-C₃₀-alkyl radical,

m and n independently of one another are an integer from 0 to 50, the sum m+n being at least 5,

- h) is at least one α,β -ethylenically unsaturated compound which, per molecule, additionally contains at least one group which is reactive toward isocyanate groups,
- i) is a compound chosen from monohydric alcohols, diols, amines, diamines and aminoalcohols having at least one straight-chain or branched C_8-C_{30} -alkyl or -alkylene radical per molecule, and mixtures thereof,
- k) at least one aliphatic, cycloaliphatic or aromatic monoisocyanate,
- l) is at least one α,β -ethylenically unsaturated compound which additionally contains at least one isocyanate group per molecule,
- m) is at least one compound of the formula V



in which

the order of the alkylene oxide units is arbitrary,

p and q are as defined above for m and n,

R^9 is OH,

R^{10} is H.